



PRO DECK DESIGN

1616 HotTub PT

Nobody Beats Our Prices. Guaranteed.

If you find a current lower price on an identical, in-stock item from a local retailer's store or website, we will match the price and beat it by 10%. If you find a current lower price on an identical, in-stock item from a Canadian online only retailer's website, we will price match only. Items from online-only retailers are not eligible for the 10% discount. Prices will be matched to localized online prices if available. See associate for complete term and conditions.

Ready to Make this Deck Yours?

Book a virtual deck design consultation today to conveniently order your materials or work with a Home Depot deck design consultant to customize this design even further.

Learn More >

Warning and important instructions: This is not a final design plan or estimate. Home Depot of Canada Inc. (and its affiliates) and ED-GENET assume no responsibility for the correct user or output of this program. All information contained on this page is subject to the terms in the disclaimer located at the end of this document.





3D View




Warning and important instructions: This is not a final design plan or estimate. Home Depot of Canada Inc. (and its affiliates) and EDGENET assume no responsibility for the correct user or output of this program. All information contained on this page is subject to the terms in the disclaimer located at the end of this document.





Dimension View - Deck 1




Warning and important instructions: This is not a final design plan or estimate. Home Depot of Canada Inc. (and its affiliates) and EDGENET assume no responsibility for the correct user or output of this program. All information contained on this page is subject to the terms in the disclaimer located at the end of this document.





Dimension View - Deck 2




Warning and important instructions: This is not a final design plan or estimate. Home Depot of Canada Inc. (and its affiliates) and EDGENET assume no responsibility for the correct user or output of this program. All information contained on this page is subject to the terms in the disclaimer located at the end of this document.





Post View - Deck 1




Warning and important instructions: This is not a final design plan or estimate. Home Depot of Canada Inc. (and its affiliates) and EDGENET assume no responsibility for the correct user or output of this program. All information contained on this page is subject to the terms in the disclaimer located at the end of this document.





Post View - Deck 2




Warning and important instructions: This is not a final design plan or estimate. Home Depot of Canada Inc. (and its affiliates) and EDGENET assume no responsibility for the correct user or output of this program. All information contained on this page is subject to the terms in the disclaimer located at the end of this document.





Joist Layout View



Notes:

All joist and stringer spacing dimensions are measured in OC.

Warning and important instructions: This is not a final design plan or estimate. Home Depot of Canada Inc. (and its affiliates) and EDGENET assume no responsibility for the correct user or output of this program. All information contained on this page is subject to the terms in the disclaimer located at the end of this document.





Usage	Article	Description	Quantity
Beam	790208 EA	2x8x12 MicroPro Sienna Treated Wood	1
Beam	790393 EA	2x12x12 MicroPro Sienna Treated Wood	9
Decking	680731 EA	5/4x6x16MicroPro Sienna Treated Wood	23
Decking	680736 EA	5/4x6x12MicroPro Sienna Treated Wood	6
Decking	680741 EA	5/4x6x10MicroPro Sienna Treated Wood	3
Decking	680745 EA	5/4x6x8 MicroPro Sienna Treated Wood	13
Joist	789781 EA	2x6x10 MicroPro Sienna Treated Wood	3
Joist	790082 EA	2x6x12 MicroPro Sienna Treated Wood	3
Joist	790085 EA	2x6x16 MicroPro Sienna Treated Wood	10
Ledger	790085 EA	2x6x16 MicroPro Sienna Treated Wood	1
Post	790178 EA	4x4x8 MicroPro Sienna Treated Wood	1
Rim Joist	790082 EA	2x6x12 MicroPro Sienna Treated Wood	3
Rim Joist	790084 EA	2x6x8 MicroPro Sienna Treat Wood	1
Rim Joist	790085 EA	2x6x16 MicroPro Sienna Treated Wood	3
Riser	789777 EA	2x4x8 MicroPro Sienna Treated Wood	3
Stair Stringer	790393 EA	2x12x12 MicroPro Sienna Treated Wood	2
Step Tread	680741 EA	5/4x6x10 MicroPro Sienna Treated Wood	2

Decking MicroPro PT Spruce-Pine-Fir No. 1

Usage	Article	Description	Quantity
DeckScrew Tan	109819 EA	8X2-1/2 FLT SKT.SCREW-CEDAR 350PC	4
Tread Screw	109819 EA	8X2-1/2 FLT SKT.SCREW-CEDAR 350PC	1

Beam on Post Connection 1 Simpson Strong Tie

Usage	Article	Description	Quantity
LPC4Z	151759 EA	Z-MAX4"XPOST CAP ADJ.	14
LPC4Z Screw	670114 EA	1-1/2IN STRUCTURAL SCREW 100CT	2

Warning and important instructions: This is not a final design plan or estimate. Home Depot of Canada Inc. (and its affiliates) and EDGENET assume no responsibility for the correct user or output of this program. All information contained on this page is subject to the terms in the disclaimer located at the end of this document.





Beam to Post Connection 1 Paulin

Usage	Article	Description	Quantity
Bolt for 4x4	441917 EA	1/2 X 7 GR2 CARRIAGE BOLT HDG	8
Nut	141758 EA	1/2-13 HEX NUTS HDG	8
Washer	141587 EA	1/2 LOCK WASHERS HDG	8

Blocking Fasteners 1 Paulin

Usage	Article	Description	Quantity
Nails	683339 EA	3 1/2"Spiral Hot Galv 1.5kg	2

Builders Tube 1 King

Usage	Article	Description	Quantity
10" for 4x4	133472 EA	BUILDERS TUBE 10"X4'	11
Post			

Built Beam Fasteners 1 Paulin

Usage	Article	Description	Quantity
Nails	683339 EA	3 1/2"Spiral Hot Galv 1.5kg	1

Concrete 2 Quikrete

Usage	Article	Description	Quantity
10" Pier for 4x4	149580 EA	CONCRETE MIX 30KG	50

Warning and important instructions: This is not a final design plan or estimate. Home Depot of Canada Inc. (and its affiliates) and EDGENET assume no responsibility for the correct user or output of this program. All information contained on this page is subject to the terms in the disclaimer located at the end of this document.





Diagonal Bracing Connection 1 Paulin

Usage	Article	Description	Quantity
Post to Beam Lag	683760 EA	6" HeadLok 12pcs	4
Post to Joist Lag	683760 EA	6" HeadLok 12pcs	4

Diagonal Bracing 1 Generic

Usage	Article	Description	Quantity
Post To Beam	789777 EA	2x4x8 MicroPro Sienna Treated Wood	4
Post to Joist	789777 EA	2x4x8 MicroPro Sienna Treated Wood	4

Flashing Fasteners 1 Paulin

Usage	Article	Description	Quantity
Nails	683208 EA	1 1/4" Roofing Electo Galv 11GA 420g	1

Flashing 1 Peak

Usage	Article	Description	Quantity
White	108239 EA	DRIP FLASHING 2X1-3/4X3/8" WHITE	2

Joist Hangers/Fasteners 1 Simpson Strong Tie

Usage	Article	Description	Quantity
LUS210Z	151774 EA	Z-MAX 2"X6" JOIST HANGER 18 GA.	19
LUS210Z Screw	670112 EA	2-1/2IN STRUCTURAL SCREW 100CT	2

Warning and important instructions: This is not a final design plan or estimate. Home Depot of Canada Inc. (and its affiliates) and EDGENET assume no responsibility for the correct user or output of this program. All information contained on this page is subject to the terms in the disclaimer located at the end of this document.

All figures presented are estimates only and are provided for comparison purposes only. These calculations are not advertisements for specific prices. Actual selling price and product availability at time of purchase may vary. Prices and product availability may vary by store, and between online and in-store. See your local Home Depot associate for details.

Copyright © 1989-2021 Edgenet, LLC.





Ledger Fasteners 1 Paulin

Usage	Article	Description	Quantity
Lag Bolt	683768 EA	5" LedgerLok 12pcs	1

Post Base Connection 1 Simpson Strong Tie

Usage	Article	Description	Quantity
ABA44Z	152236 EA	Z-MAX 4"X4" ADJ. POST BASE	11
ABA44Z Screw	670114 EA	1-1/2IN STRUCTURAL SCREW 100CT	1
Anchor Bolt	149708 EA	1/2X8 FOUNDATION BOLT W/NUT&WASHER	11

Railings Rail Blazer 42x72 Railing

Usage	Article	Description	Quantity
Bottom Stair Post	1001501064 EA	STAIR POST WHT	3
Brackets 45D	163948 EA	UNIVERSAL CONNECTOR WHITE	1
Corner Post	1001500979 EA	CORNER POST 90-DEGREE WHT	1
Deck Baluster Kit	1001495576 EA	6' WIDE PICKET AND SPACER WHT	10
End Post	1001495789 EA	END POST WHT	3
Line Post	1001501312 EA	MID POST WHT	6
Line Post 45D	1001495789 EA	END POST WHT	1
Rail Kit	1001500692 EA	6 HAND AND BASE RAIL WHT	10
Rail Post Fastener	762178 EA	Railblazer Post Bolt Kit White	15
Stair Baluster Kit	1001495579 EA	6' STAIR RAIL WIDE KIT WHT	2
Stair Rail Kit	1001500692 EA	6 HAND AND BASE RAIL WHT	2
Top Stair Post	1001495789 EA	END POST WHT	2
Universal Brackets	163948 EA	UNIVERSAL CONNECTOR WHITE	4

Warning and important instructions: This is not a final design plan or estimate. Home Depot of Canada Inc. (and its affiliates) and EDGENET assume no responsibility for the correct user or output of this program. All information contained on this page is subject to the terms in the disclaimer located at the end of this document.





Rim Joist Fasteners 1 Paulin

Usage	Article	Description	Quantity
Nails	683339 EA	3 1/2"Spiral Hot Galv 1.5kg	1
SM Rim Joist Angle	682321 EA	ZMAX Heavy Angle 2"x4"	4
SM Rim Joist Angle Fasteners	682323 EA	Connector Screw 1/4"x1 1/2"	1

Stringer Connection 1 Simpson Strong Tie

Usage	Article	Description	Quantity
LSCZ	682318 EA	ZMAX Adjustable Stringer Connector	4
LSCZ Screw	670114 EA	1-1/2IN STRUCTURAL SCREW 100CT	1

Warning and important instructions: This is not a final design plan or estimate. Home Depot of Canada Inc. (and its affiliates) and EDGENET assume no responsibility for the correct user or output of this program. All information contained on this page is subject to the terms in the disclaimer located at the end of this document.





Disclaimer

IMPORTANT: Before installing manufacturer specific products, refer to the manufacturer's installation instructions.

Consumer Information Sheet for MicroPro Sienna® Treated Wood

Cut ends / Field cuts – When building your outdoor project with pressure treated wood it is important to protect the cut ends, drill holes, and other field cuts. Failure to apply an end-cut wood preservative or Cut-N-Seal® at the time of construction will void the MicroPro Sienna Lifetime Residential Limited Warranty.

- For pressure treated wood used in ground contact applications, two applications of a brush-on copper naphthenate based end-cut preservative must be applied to all saw cuts, drill holes and other field cuts at the time of construction before the wood is installed. Follow the manufacturer's directions for proper application.
- For pressure treated wood used in above ground applications, such as deck boards, railings, post tops or fence boards, a brush-on end-cut wood preservative or Cut-N-Seal product should be applied to all saw cuts, drill holes and other field cuts at the time of construction. Follow the manufacturer's directions for proper application.

Fasteners – Wood treated with MicroPro technology exhibits corrosion rates on metal products similar to untreated wood. Use fasteners and hardware designed for exterior construction that are in compliance with the manufacturer's recommendations and the building codes for their intended use.

Aluminum – Aluminum building products may be placed in direct contact with MicroPro Sienna Treated Wood products used for interior uses and above ground exterior applications where the wood in not exposed to frequent and prolonged wetting, such as decks and fencing. MicroPro Sienna Treated Wood in direct contact with aluminum products should only be used in code compliant construction applications that provide proper water drainage and do not allow the wood to be exposed to, or remain in contact with a continual moisture source, standing water or water immersion. In addition, MicroPro Sienna Treated Wood should not be encased, sealed, or wrapped with aluminum products where moisture or water can be trapped, so as to avoid pitting or other undesirable results.

Warning and important instructions: This is not a final design plan or estimate. Home Depot of Canada Inc. (and its affiliates) and EDGENET assume no responsibility for the correct user or output of this program. All information contained on this page is subject to the terms in the disclaimer located at the end of this document.